4. Electrical Parts List

Location no.	Code no.	Description & Specifiation	Remarks
	AH59-00014A	DECK-CDP;KSM-213CDM,-,-,-,RCD-590	
	AH91-60145A	ASSY-DECK CASSETTE;RCD380,AUTO-STOP,-	
	AH92-00130A	**ASSY-PCB-FRONT;RCD590 ,BASIC**	**S.N.A.**
UCW50	3708-001388	CONNECTOR-FPC/FC/PIC;16P,1MM,ANGLE,SN	
UD50	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
UD51	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
UD52	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
UD53	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
UD60	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
UR50	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
UR51	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
UR52	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
UR53	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
UR54	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
UR55	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
UC50	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP,3.5x19,-	
UC51	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP,3.5x19,-	
UC52	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP,3.5x19,-	
UC53	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP,3.5x19,-	
UC60	2202-000807	C-CERAMIC,MLC-AXIAL;22NF,+80-20%,25V,Y5V,TP,3.5X19	
UC61	2202-000807	C-CERAMIC,MLC-AXIAL;22NF,+80-20%,25V,Y5V,TP,3.5X19	
USW50	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW51	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW52	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW53	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW54	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW55	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW56	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW57	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW58	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW59	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW60	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW61	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW62	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW63	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW64	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW65	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW66	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW67	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW68	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
USW69	3404-000165	SWITCH-TACT;12V,50MA,160GF+-50GF,6X6MM,SPS	
	AH92-00133A	**ASSY-PCB-MAIN SUM;RCD590 ,L-BAND**	**S.N.A.**
SPK	3001-001070	GENERAL-SPK 4inch 3ohm 3W	
UQ901	0502-000303	TR-POWER;KSD882,NPN,1W,TO-126,TP,160-32	
WIC51	0904-001159	IC-DSP;9286,8BIT,QFP,80P,-,1MHZ,TR,CM	
WIC71	1003-000179	IC-MOTOR DRIVER;KA9258D,SOP,28P,-,SINGLE,-,ST,	
AIC601	1201-001344	IC-POWER AMP;4600,SIP,10P,25.5MIL,DUAL,1	
JIC301	1201-001345	IC-PREAMP;BA3313L,ZIP,12P,16.8MIL,DUAL,4	
WIC1	1204-001286	IC-ASP;KB9223,QFP,80P,-,PLASTIC,6V,20	
QIC501	1204-001465	IC-VOLUME/TONE CONT.;TDA7440D,SOP,28,18.	
ICF4	14529-304-610	FILTER CERAMIC;AHCM2-450BL	
OC7	2302-000231	C-FILM,PSF;330PF,5%,50V,BK,5.5X11.5,2.5MM	
OC8	2302-000235	C-FILM,PSF;470PF,5%,50V,BK,6X11.5,2.5MM	
RC705	2401-001052	C-AL;3300UF,20%,25V,GP,-,16X31.5,7.	
OCT1	2502-000127	C-CERAMIC TRIMMER;20-4.6PF,+50-0%,100V	
OCT2	2502-000127	C-CERAMIC TRIMMER;20-4.6PF,+50-0%,100V	
OCT3	2502-000127	C-CERAMIC TRIMMER;20-4.6PF,+50-0%,100V	
OCT4	2502-000127	C-CERAMIC TRIMMER;20-4.6PF,+50-0%,100V	
HX1	2801-000734	CRYSTAL-UNIT;7.2MHZ,50PPM,28-AAM,12PF,30OHM	
UX2	2801-001394	CRYSTAL-UNIT;32.768KHz,20ppm,28-AAY,12.5pF,	
MX1	2802-000158	RESONATOR-CERAMIC;4MHZ,0.5%,TP,10.0X5.0X7.5MM	
WX51	2802-000211	RESONATOR-CERAMIC;16.93MHZ,0.5%,TP,10.0X5.0X10.0	
ICF3	2802-000215	RESONATOR-CERAMIC;19KHZ,+-38HZ,-,7.0X3.5X9.0MM	
ICF1	2903-000105	FILTER-CERAMIC;BP,10.7MHZ+-25KHZ,180KHZ+-50KH	
ICF2	2903-000105	FILTER-CERAMIC;BP,10.7MHZ+-25KHZ,180KHZ+-50KH	
KSW4	3403-001074	SWITCH-PUSH;30V,100mA,DPDT,ON-OFF,-	
JSW3	3408-001041	SWITCH-SLIDE;30V,300mA,6PDT,OFF-ON,-	
UCW1	3708-001312	CONNECTOR-FPC/FC/PIC;16P,1mm,STRAIGHT,SN	
WCW1	3708-001312	CONNECTOR-FPC/FC/PIC;16P,1mm,STRAIGHT,SN	
	3711-000820	CONNECTOR-HEADER;BOX,2P,1R,2.5mm,STRAIGHT,SN	
UCW5	3711-000820	CONNECTOR-HEADER;BOX,2P,1R,2.5mm,STRAIGHT,SN	
RCW701	3711-000963	CONNECTOR-HEADER;BOX,4P,1R,2.5MM,STRAIGHT,SN	
JCW301	3711-001098	CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGHT,SN	
ACW601	3711-003107	CONNECTOR-HEADER;BOX,3P,1R,2.5mm,STRAIGHT,SN	
MJ1	3722-000358	JACK-PHONE;7P,3.5MM,AG,BLK,-	
AJ601	3722-001311	JACK-PHONE;7P,3.6mm,AG,BLK,NO	
WCW1-1	3809-001113	CABLE-FLAT;30V,80C,120mm,16P,1mm,UL2896	
ULCD1	AH07-00004A	LCD;-,CH-61323Z,RCD590,58X18MM	
UIC1	AH09-10064N	IC-MICOM;KS57C2316Q-56D,80P,QFP,RCD590,8BITS,-,-	
IIC1	AH14-10002D	IC;LA1851N,-,	
HIC1	AH14-10007G	IC;LC72131,DIP,STICK PLL	
KT431	AH26-10001B	TRANS-IF;7DJ-N5001,BIAS,1.65MH,7.6X12.0,-,-,BULK,	
IT1	AH26-10001C	TRANS-IF;KS940228-10,FM,-,7.6X12.0,-,-,BULK,	
IT2	AH26-10001E	TRANS-IF;KS940228-09,-,-,7.6X12.0,-,450KHZ,BULK,	
OT2	AH26-10001J	TRANS-IF;KS940228-01,-,300UH,7.6X12.0,-,220KHZ,BU L-BAND	OPTION
OT1	AH26-10001K	TRANS-IF;KS940228-02,-,110UH,7.6X12.0,-,796KHZ,BU	

Location no.	Code no.	Description & Specifiation	Remarks
OL1	AH27-00020A	COIL-FERRITE,BAR-LW ANT;-,240UH+10%,L82 AR 8Φ,100MM,L-BAND	OPTION
OL1	AH27-00019A	COIL-FERRITE,BAR-MW ANT;-,235UH+10%,L82 AR 8ΦX80,80MM,	OPTION
WCW2	AH39-20561P	LEAD CONNECTOR-ASSY;-,5295,PHR,6P,150mm,1007#28	
FP1	AH40-10025X	TUNER-FM;KST-F400VA-1,-,75OHM	
FD1	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
FD2	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
UD11	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
UD12	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
UD13	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
UD14	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
UD16	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
UD17	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
XD1	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
XD2	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
XD3	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
XD4	0401-000101	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,TP	
KD401	0402-000127	DIODE-RECTIFIER;1N4002,100V,1A,DO-41,TP	
RD706	0402-000127	DIODE-RECTIFIER;1N4002,100V,1A,DO-41,TP	
RZD701	0403-000396	DIODE-ZENER;UZP6.8B,6.8V,6.4-7.2V,1W,DO-41	
UZD901	0403-000398	DIODE-ZENER;UZP8.2B,8.2V,7.7-8.7V,1W,DO-41	
OKV1	0405-001061	DIODE-VARACTOR;SVC344,30V,100NA,TP	
RQ702	0501-000010	TR-SMALL SIGNAL;KSC1008,NPN,800mW,TO-92,TP,120	
RQ703	0501-000010	TR-SMALL SIGNAL;KSC1008,NPN,800mW,TO-92,TP,120	
RQ704	0501-000010	TR-SMALL SIGNAL;KSC1008,NPN,800mW,TO-92,TP,120	
UQ903	0501-000010	TR-SMALL SIGNAL;KSC1008,NPN,800mW,TO-92,TP,120	
IQ2	0501-000294	TR-SMALL SIGNAL;KSA708-Y,PNP,800mW,TO-92,TP,12	
KQ702	0501-000303	TR-SMALL SIGNAL;KSA733,PNP,250mW,TO-92,TP,120-	
WQ1	0501-000323	TR-SMALL SIGNAL;KSB564A,PNP,800mW,TO-92,TP,120	
IQ1	0501-000392	TR-SMALL SIGNAL;KSC838-O,NPN,250mW,TO-92,-,70-	
KQ431	0501-000394	TR-SMALL SIGNAL;KSC900-L,NPN,250mW,TO-92,-,350	
OQ1	0501-000398	TR-SMALL SIGNAL;KSC945,NPN,250mW,TO-92,TP,120,L-BAND	OPTION
OQ15	0501-000398	TR-SMALL SIGNAL;KSC945,NPN,250mW,TO-92,TP,120,L-BAND	OPTION
OQ2	0501-000398	TR-SMALL SIGNAL;KSC945,NPN,250mW,TO-92,TP,120,L-BAND	OPTION
OQ3	0501-000398	TR-SMALL SIGNAL;KSC945,NPN,250mW,TO-92,TP,120,L-BAND	OPTION
OQ4	0501-000398	TR-SMALL SIGNAL;KSC945,NPN,250mW,TO-92,TP,120,L-BAND	OPTION
OQ502	0501-000398	TR-SMALL SIGNAL;KSC945,NPN,250mW,TO-92,TP,120-	
RQ701	0501-000610	TR-SMALL SIGNAL;KSA928A-Y,PNP,1W,TO-92L,TP,160	
UQ902	0501-000610	TR-SMALL SIGNAL;KSA928A-Y,PNP,1W,TO-92L,TP,160	
WQ71	0501-000610	TR-SMALL SIGNAL;KSA928A-Y,PNP,1W,TO-92L,TP,160	
UQ1	0504-000118	TR-DIGITAL;KSR1003,NPN,300MW,22K/22K,TO-92,TP	
QQ503	0504-000122	TR-DIGITAL;KSR1009Y,NPN,300mW,4.7K,TO-92,	
QQ553	0504-000122	TR-DIGITAL;KSR1009Y,NPN,300mW,4.7K,TO-92,	
IQ3	0504-001003	TR-DIGITAL;KSR2003,PNP,300MW,22K/22K,TO-92,TP	
QQ501	0504-001003	TR-DIGITAL;KSR2003,PNP,300MW,22K/22K,TO-92,TP	
KR401	2001-000008	R-CARBON;15KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
KR451	2001-000008	R-CARBON;15KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR14	2001-000008	R-CARBON;15KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
UR901	2001-000027	R-CARBON;100OHM,5%,1/4W,AA,TP,2.4X6.4MM	
RR703	2001-000118	R-CARBON(S);180ohm,5%,1/2W,AA,TP,2.4x6.4mm	
WR10	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR22	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR5	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR8	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
XR7L	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
XR7R	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
JR301	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
JR351	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
QR502	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
QR552	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
AR16	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
HR15	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
HR28	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR11	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR12	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
JR303	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
JR353	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
OR11	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
OR15	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR23	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR24	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR10	2001-000302	R-CARBON;10OHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR14	2001-000302	R-CARBON;10OHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR11	2001-000319	R-CARBON;120KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR16	2001-000319	R-CARBON;120KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR17	2001-000319	R-CARBON;120KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR25	2001-000331	R-CARBON;12KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR26	2001-000331	R-CARBON;12KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR27	2001-000331	R-CARBON;12KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR9	2001-000331	R-CARBON;12KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR19	2001-000356	R-CARBON;150KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR21	2001-000356	R-CARBON;150KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR29	2001-000356	R-CARBON;150KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR34	2001-000356	R-CARBON;150KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR7	2001-000356	R-CARBON;150KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
KR433	2001-000376	R-CARBON;15OHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR3	2001-000397	R-CARBON;180KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
HR4	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR25	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
OR1	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM,L-BAND	OPTION

Location no.	Code no.	Description & Specifiation	Remarks
OR2	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM,L-BAND	OPTION
OR3	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM,L-BAND	OPTION
OR4	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM,L-BAND	OPTION
WJW50	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR20	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR54	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
XR5L	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
XR5R	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
JR305	2001-000435	R-CARBON;1MOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR6	2001-000435	R-CARBON;1MOHM,5%,1/8W,AA,TP,1.8X3.2MM	
HR10	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
HR11	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
HR12	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
HR13	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
MR5	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
UR1	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR55	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR56	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR57	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR58	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR59	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR60	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR61	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR62	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR63	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR64	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
JR302	2001-000508	R-CARBON;220KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
JR352	2001-000508	R-CARBON;220KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
UR4	2001-000508	R-CARBON;220KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
AR601	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
AR651	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
QR503	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
RR701	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
UR2	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
UR903	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
JR306	2001-000527	R-CARBON;22OHM,5%,1/8W,AA,TP,1.8X3.2MM	
KR431	2001-000527	R-CARBON;22OHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR28	2001-000527	R-CARBON;22OHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR15	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR16	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR51	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
XR2L	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
XR2R	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR21	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR22	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR8	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
RR710	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR52	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR53	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
JR24	2001-000660	R-CARBON;33KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
XR3L	2001-000660	R-CARBON;33KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
XR3R	2001-000660	R-CARBON;33KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR10	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR6	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR9	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR18	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR30	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR31	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR32	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR33	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
FR1	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
HR5	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
OR10	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
RR705	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
UR905	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
XR4L	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
XR4R	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
XR6L	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
XR6R	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR2	2001-000773	R-CARBON;470KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
KR432	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR12	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR15	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR7	2001-000802	R-CARBON;5.6Kohm,5%,1/8W,AA,TP,1.8x3.2m	
QR503	2001-000802	R-CARBON;5.6Kohm,5%,1/8W,AA,TP,1.8x3.2m	
QR553	2001-000802	R-CARBON;5.6Kohm,5%,1/8W,AA,TP,1.8x3.2m	
WR13	2001-000864	R-CARBON;56KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
IR17	2001-000977	R-CARBON;8.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR4	2001-000977	R-CARBON;8.2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR1	2001-000989	R-CARBON;820KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
WR35	2001-001006	R-CARBON;82OHM,5%,1/8W,AA,TP,1.8X3.2MM	
WFR71	2008-000141	R-FUSIBLE;2.2ohm,5%,1/4W,AA,TP,2.6x6.7mm	
RR703	2008-000157	R-FUSIBLE;4.7ohm,5%,1/4W,AA,TP,2.6x6.7mm	
RR706	2008-000157	R-FUSIBLE;4.7ohm,5%,1/4W,AA,TP,2.6x6.7mm	
ISVR2	2103-000461	VR-SEMI;50Kohm,30%,1/10W,TOP	
ISVR1	2103-000492	VR-SEMI;5KOHM,30%,1/10W,TOP	
HC9	2201-000144	C-CERAMIC,DISC;100pF,5%,50V,CH,TP,8x3,5	
WC27	2201-000223	C-CERAMIC,DISC;12pF,5%,50V,CH,TP,5x3,5.0	
IC12	2201-000381	C-CERAMIC,DISC;22NF,20%,50V,Y5V,8.0x4.0mm,5mm,TP	
UC10	2201-000389	C-CERAMIC,DISC;22pF,5%,50V,CH,TP,5.0*3.0,5	
UC11	2201-000389	C-CERAMIC,DISC;22pF,5%,50V,CH,TP,5.0*3.0,5	
HC2	2201-000423	C-CERAMIC,DISC;27pF,5%,50V,NPO,TP,5x3,2.5	
WC53	2201-000423	C-CERAMIC,DISC;27pF,5%,50V,NPO,TP,5x3,2.5	
WC54	2201-000423	C-CERAMIC,DISC;27pF,5%,50V,NPO,TP,5x3,2.5	

Location no.	Code no.	Description & Specifiation	Remarks
FC7	2201-000565	C-CERAMIC,DISC;47NF,80%-20%,50V,Y5V TP,L-BAND	OPTION
HC18	2201-000565	C-CERAMIC,DISC;47NF,80%-20%,50V,Y5V TP,L-BAND	OPTION
IC15	2201-000565	C-CERAMIC,DISC;47NF,80%-20%,50V,Y5V TP,L-BAND	OPTION
IC2	2201-000565	C-CERAMIC,DISC;47NF,80%-20%,50V,Y5V TP,L-BAND	OPTION
IC26	2201-000565	C-CERAMIC,DISC;47NF,80%-20%,50V,Y5V TP,L-BAND	OPTION
IC29	2201-000565	C-CERAMIC,DISC;47NF,80%-20%,50V,Y5V TP,L-BAND	OPTION
OC10	2201-000565	C-CERAMIC,DISC;47NF,80%-20%,50V,Y5V TP,L-BAND	OPTION
UC2	2201-000565	C-CERAMIC,DISC;47NF,80%-20%,50V,Y5V TP,L-BAND	OPTION
UC5	2201-000483	C-CERAMIC,DISC;33pF,5%,50V,CH,TP,5x3,5	
UC6	2201-000483	C-CERAMIC,DISC;33pF,5%,50V,CH,TP,5x3,5	
QC509	2201-000783	C-CERAMIC,DISC;100NF,+80%,-20%,50V,Y5V,TP,8X3	
QC510	2201-000783	C-CERAMIC,DISC;100NF,+80%,-20%,50V,Y5V,TP,8X3	
QC559	2201-000783	C-CERAMIC,DISC;100NF,+80%,-20%,50V,Y5V,TP,8X3	
QC560	2201-000783	C-CERAMIC,DISC;100NF,+80%,-20%,50V,Y5V,TP,8X3	
WC22	2201-000783	C-CERAMIC,DISC;100NF,+80%,-20%,50V,Y5V,TP,8X3	
WC24	2201-000783	C-CERAMIC,DISC;100NF,+80%,-20%,50V,Y5V,TP,8X3	
WC25	2201-000783	C-CERAMIC,DISC;100NF,+80%,-20%,50V,Y5V,TP,8X3	
WC64	2201-000783	C-CERAMIC,DISC;100NF,+80%,-20%,50V,Y5V,TP,8X3	
WC14	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP,3.5x19,-	
AC607	2202-000781	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP,3.5x19,-	
AC657	2202-000781	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP,3.5x19,-	
HC10	2202-000781	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP,3.5x19,-	
HC11	2202-000781	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP,3.5x19,-	
HC12	2202-000781	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP,3.5x19,-	
IC6	2202-000781	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP,3.5x19,-	
JC303	2202-000781	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP,3.5x19,-	
JC353	2202-000781	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP,3.5x19,-	
QC505	2202-000781	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP,3.5x19,-	
QC555	2202-000781	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP,3.5x19,-	
KC434	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3.5x19,-	
KC435	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3.5x19,-	
WC19	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3.5x19,-	
WC23	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3.5x19,-	
WC32	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3.5x19,-	
XC3L	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3.5x19,-	
XC3R	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3.5x19,-	
WC10	2202-000797	C-CERAMIC,MLC-AXIAL;10NF,30%,16V,Y5S,TP,3.5X1.9MM,-	
WC13	2202-000797	C-CERAMIC,MLC-AXIAL;10NF,30%,16V,Y5S,TP,3.5X1.9MM,-	
WC17	2202-000797	C-CERAMIC,MLC-AXIAL;10NF,30%,16V,Y5S,TP,3.5X1.9MM,-	
WC2	2202-000797	C-CERAMIC,MLC-AXIAL;10NF,30%,16V,Y5S,TP,3.5X1.9MM,-	
WC20	2202-000797	C-CERAMIC,MLC-AXIAL;10NF,30%,16V,Y5S,TP,3.5X1.9MM,-	
WC21	2202-000797	C-CERAMIC,MLC-AXIAL;10NF,30%,16V,Y5S,TP,3.5X1.9MM,-	
WC56	2202-000797	C-CERAMIC,MLC-AXIAL;10NF,30%,16V,Y5S,TP,3.5X1.9MM,-	
WC57	2202-000797	C-CERAMIC,MLC-AXIAL;10NF,30%,16V,Y5S,TP,3.5X1.9MM,-	
WC58	2202-000797	C-CERAMIC,MLC-AXIAL;10NF,30%,16V,Y5S,TP,3.5X1.9MM,-	
WC59	2202-000797	C-CERAMIC,MLC-AXIAL;10NF,30%,16V,Y5S,TP,3.5X1.9MM,-	
WC61	2202-000797	C-CERAMIC,MLC-AXIAL;10NF,30%,16V,Y5S,TP,3.5X1.9MM,-	
XC4L	2202-000797	C-CERAMIC,MLC-AXIAL;10NF,30%,16V,Y5S,TP,3.5X1.9MM,-	
XC4R	2202-000797	C-CERAMIC,MLC-AXIAL;10NF,30%,16V,Y5S,TP,3.5X1.9MM,-	
AC606	2202-000807	C-CERAMIC,MLC-AXIAL;22NF,+80-20%,25V,Y5V,TP,3.5X19	
FC4	2202-000807	C-CERAMIC,MLC-AXIAL;22NF,+80-20%,25V,Y5V,TP,3.5X19	
IC1	2202-000807	C-CERAMIC,MLC-AXIAL;22NF,+80-20%,25V,Y5V,TP,3.5X19	
IC16	2202-000807	C-CERAMIC,MLC-AXIAL;22NF,+80-20%,25V,Y5V,TP,3.5X19	
IC17	2202-000807	C-CERAMIC,MLC-AXIAL;22NF,+80-20%,25V,Y5V,TP,3.5X19	
RC714	2202-000807	C-CERAMIC,MLC-AXIAL;22NF,+80-20%,25V,Y5V,TP,3.5X19	
UC8	2202-000807	C-CERAMIC,MLC-AXIAL;22NF,+80-20%,25V,Y5V,TP,3.5X19	
UC903	2202-000807	C-CERAMIC,MLC-AXIAL;22NF,+80-20%,25V,Y5V,TP,3.5X19	
JC302	2202-000809	C-CERAMIC,MLC-AXIAL;3.3NF,20%,16V,Y5R,TP,3.5X19,-	
JC352	2202-000809	C-CERAMIC,MLC-AXIAL;3.3NF,20%,16V,Y5R,TP,3.5X19,-	
WC28	2202-000817	C-CERAMIC,MLC-AXIAL;4.7NF,20%,16V,Y5R,TP,3.5X19,-	
WC29	2202-000817	C-CERAMIC,MLC-AXIAL;4.7NF,20%,16V,Y5R,TP,3.5X19,-	
QC506	2202-000820	C-CERAMIC,MLC-AXIAL;5.6NF,20%,16V,Y5R,TP,3.5X19,-	
QC556	2202-000820	C-CERAMIC,MLC-AXIAL;5.6NF,20%,16V,Y5R,TP,3.5X19,-	
WC1	2202-000848	C-CERAMIC,MLC-AXIAL;1.5NF,30%,50V,Y5S,TP,3.5X1.9,-	
WC52	2202-000848	C-CERAMIC,MLC-AXIAL;1.5NF,30%,50V,Y5S,TP,3.5X1.9,-	
KC401	2202-000850	C-CERAMIC,MLC-AXIAL;2.2NF,30%,16V,Y5R,TP,3.5X1.9,-	
KC402	2202-000850	C-CERAMIC,MLC-AXIAL;2.2NF,30%,16V,Y5R,TP,3.5X1.9,-	
WC18	2202-000850	C-CERAMIC,MLC-AXIAL;2.2NF,30%,16V,Y5R,TP,3.5X1.9,-	
KC432	2301-000365	C-FILM,PEF;1.5nF,10%,50V,TP,5.5x7x2.8mm,5	
JC305	2301-000385	C-FILM,PEF;12NF,10%,50V,TP,6.5X8.5X3.2MM,	
JC355	2301-000385	C-FILM,PEF;12NF,10%,50V,TP,6.5X8.5X3.2MM,	
WC15	2301-000389	C-FILM,PEF;150nF,5%,50V,TP,12.5x15x7.5,7m	
WC16	2301-000430	C-FILM,PEF;33NF,10%,50V,TP,7.5X11X4MM,5MM	
WC4	2301-000430	C-FILM,PEF;33NF,10%,50V,TP,7.5X11X4MM,5MM	
WC6	2301-000430	C-FILM,PEF;33NF,10%,50V,TP,7.5X11X4MM,5MM	
WC51	2301-000449	C-FILM,PEF;47NF,10%,50V,TP,8X11X4.5MM,5MM	
KC433	2301-000454	C-FILM,PEF;5.6NF,10%,50V,TP,6X12X3,3.5MM	
WC12	2301-000469	C-FILM,PEF;68NF,10%,50V,TP,9X12X4.5MM,5MM	
WC33	2303-000312	C-FILM,PPF;100NF,5%,63V,TP,7.5X12.5X3.5,5	
WC7	2303-000312	C-FILM,PPF;100NF,5%,63V,TP,7.5X12.5X3.5,5	
WC8	2303-000312	C-FILM,PPF;100NF,5%,63V,TP,7.5X12.5X3.5,5	
AC602	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
HC4	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
JC309	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
QC514	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
WC31	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
WC34	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
WC35	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
WC55	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
WC60	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
WC62	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
WC63	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
WC64	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
WC65	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	

Location no.	Code no.	Description & Specifiation	Remarks
WC68	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
XC8	2401-000240	C-AL;100uF,20%,10V,GP,TP,5x11,5	
AC604	2401-000303	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
IC14	2401-000419	C-AL;10UF,20%,16V,GP,-,4X7,5	
IC8	2401-000419	C-AL;10UF,20%,16V,GP,-,4X7,5	
QC511	2401-000419	C-AL;10UF,20%,16V,GP,-,4X7,5	
UC3	2401-000419	C-AL;10UF,20%,16V,GP,-,4X7,5	
RC712	2401-001102	C-AL;330UF,20%,16V,GP,TP,8X12,5	
AC605	2401-001364	C-AL;470UF,20%,16V,GP,TP,10X12MM,5M	
AC655	2401-001364	C-AL;470UF,20%,16V,GP,TP,10X12MM,5M	
WC30	2401-001645	C-AL;680nF,20%,50V,GP,-,5x11,2mm	
UC4	2401-001889	C-AL;100NF,20%,50V,GP,BK,5X11MM,2MM	
AC601	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
FC2	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
IC25	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
IC28	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
IC3	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
IC7	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
IC9	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
JC306	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
JC356	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
KC401	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
KC451	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
QC503	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
QC515	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
QC553	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
RC708	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
UC902	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
UC903	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
XC7	2401-001895	C-AL;100uF,20%,16V,GP,6.3x11mm,2.5m	
QC501	2401-001912	C-AL;1uF,20%,50V,GP,5x11mm,2mm,BK	
QC502	2401-001912	C-AL;1uF,20%,50V,GP,5x11mm,2mm,BK	
QC503	2401-001912	C-AL;1uF,20%,50V,GP,5x11mm,2mm,BK	
QC512	2401-001912	C-AL;1uF,20%,50V,GP,5x11mm,2mm,BK	
QC551	2401-001912	C-AL;1uF,20%,50V,GP,5x11mm,2mm,BK	
QC552	2401-001912	C-AL;1uF,20%,50V,GP,5x11mm,2mm,BK	
QC553	2401-001912	C-AL;1uF,20%,50V,GP,5x11mm,2mm,BK	
QC562	2401-001912	C-AL;1uF,20%,50V,GP,5x11mm,2mm,BK	
WC3	2401-001954	C-AL;4.7UF,20%,50V,GP,BK,5X11MM,5	
WC68	2401-001954	C-AL;4.7UF,20%,50V,GP,BK,5X11MM,5	
XC2L	2401-001954	C-AL;4.7UF,20%,50V,GP,BK,5X11MM,5	
XC2R	2401-001954	C-AL;4.7UF,20%,50V,GP,BK,5X11MM,5	
XC5L	2401-001954	C-AL;4.7UF,20%,50V,GP,BK,5X11MM,5	
XC5R	2401-001954	C-AL;4.7UF,20%,50V,GP,BK,5X11MM,5	
XC6	2401-001954	C-AL;4.7UF,20%,50V,GP,BK,5X11MM,5	
JC308	2401-001968	C-AL;470NF,20%,50V,GP,TP,5X11MM,5	
WC51	2401-001968	C-AL;470NF,20%,50V,GP,TP,5X11MM,5	
WC9	2401-001968	C-AL;470NF,20%,50V,GP,TP,5X11MM,5	
JC304	2401-001975	C-AL;47UF,20%,16V,GP,TP,5X11MM,5	
JC307	2401-001975	C-AL;47UF,20%,16V,GP,TP,5X11MM,5	
JC354	2401-001975	C-AL;47UF,20%,16V,GP,TP,5X11MM,5	
KC431	2401-001975	C-AL;47UF,20%,16V,GP,TP,5X11MM,5	
UC1	2401-001975	C-AL;47UF,20%,16V,GP,TP,5X11MM,5	
QC505	2401-002180	C-AL;2.2UF,20%,50V,GP,TP,5X11,5MM	
QC555	2401-002180	C-AL;2.2UF,20%,50V,GP,TP,5X11,5MM	
OCT2	2502-000127	C-TRIMMER ; 20-4.6PF,100V ,L-BAND	
OCT4	2502-000127	C-TRIMMER ; 20-4.6PF,100V ,L-BAND	OPTION
ACH1	2701-000111	INDUCTOR-AXIAL;100uH,10%,2.5x3.4mm	
ACH2	2701-000111	INDUCTOR-AXIAL;100uH,10%,2.5x3.4mm	
HL1	2701-000111	INDUCTOR-AXIAL;100uH,10%,2.5x3.4mm	
RL701	2701-000111	INDUCTOR-AXIAL;100uH,10%,2.5x3.4mm	
WL1	2701-000178	INDUCTOR-AXIAL;33uH,10%,2.8x7mm	
XL1	2701-000178	INDUCTOR-AXIAL;33uH,10%,2.8x7mm	
XL3L	2701-000178	INDUCTOR-AXIAL;33uH,10%,2.8x7mm	
XL3R	2701-000178	INDUCTOR-AXIAL;33uH,10%,2.8x7mm	
WL2	3301-000297	CORE-FERRITE BEAD;AA,3.6X1.2X5.7MM,1400,2900G	
WL4	3301-000297	CORE-FERRITE BEAD;AA,3.6X1.2X5.7MM,1400,2900G	
XL2	3301-000297	CORE-FERRITE BEAD;AA,3.6X1.2X5.7MM,1400,2900G	
XIC1	AC14-12001G	IC;KA78L05,T,-	
FTP1	AH61-40022A	STUD-TAP;SPC1,T0.5,BT2,-,-,	
FTP2	AH61-40022A	STUD-TAP;SPC1,T0.5,BT2,-,-,	
	AH42-10010B	ANT-ROD ; 2S 600MM	
	14529-304-610	FILTER CERAMIC ; AHCM2 - 450B2	
	AH92-00131A	**ASSY-PCB-POWER;RCD590 ,230V CP2**	**S.N.A.**
RF701	3601-000216	FUSE-FERRULE;250V,2.5A,TL,GLASS,5x20mm	
RCW702	3711-003107	CONNECTOR-HEADER;BOX,3P,1R,2.5mm,STRAIGHT,SN	
RT701	AH26-00036A	TRANS-POWER;EI48X25,115/230V,60/50Hz	
RJ701	AH37-22001L	JACK-AC POWER;16.5MM,KC2106A,5P,BULK,CP2	OPTION
RD701	0402-000127	DIODE-RECTIFIER;1N4002,100V,1A,DO-41,TP	
RD702	0402-000127	DIODE-RECTIFIER;1N4002,100V,1A,DO-41,TP	
RD703	0402-000127	DIODE-RECTIFIER;1N4002,100V,1A,DO-41,TP	
RD704	0402-000127	DIODE-RECTIFIER;1N4002,100V,1A,DO-41,TP	
RC701	2201-000381	C-CERAMIC,DISC;22NF,20%,50V,Y5V,8.0x4.0mm,5mm,TP	
RC702	2201-000381	C-CERAMIC,DISC;22NF,20%,50V,Y5V,8.0x4.0mm,5mm,TP	
RC703	2201-000381	C-CERAMIC,DISC;22NF,20%,50V,Y5V,8.0x4.0mm,5mm,TP	
RC704	2201-000381	C-CERAMIC,DISC;22NF,20%,50V,Y5V,8.0x4.0mm,5mm,TP	
RF701	3602-000147	FUSE-CLIP;250V,7.5A,30MOHM	
	AH39-10001K	POWER-CORD;CP2,KLCE-2F,2M,KKS-15,VDE	OPTION
	AH39-10060V	POWER-CORD;AP2,KSP-173/0201/KKJ201A	OPTION
RJ701	AH37-22001M	JACK-AC POWER ; 17MM,KC1103,5P BLUK,EP2/W.P	OPTION